

CADD/GIS  
Technology Center

---

**IMPLEMENTING the SPATIAL DATA  
STANDARDS (SDSFIE) FOR FACILITIES,  
INFRASTRUCTURE, AND ENVIRONMENT  
AND FACILITY MANAGEMENT STANDARDS  
(FMSFIE) FOR FACILITIES,  
INFRASTRUCTURE, AND ENVIRONMENT  
USING ENVIRONMENTAL SYSTEMS  
RESEARCH INSTITUTE, INC. ARCVIEW GIS  
VERSION 3.2a**

*By Eric Sheehan  
Michael Baker Jr., Inc.*

**Draft**

**Published by: The CADD/GIS Technology Center for Facilities, Infrastructure, and  
Environment  
Army Engineer Research and Development Center (at Vicksburg)  
3909 Halls Ferry Road  
Vicksburg, MS 39180-6199**

Technical Paper  
September 2001

**IMPLEMENTING the SPATIAL DATA  
STANDARDS (SDSFIE) FOR FACILITIES,  
INFRASTRUCTURE, AND ENVIRONMENT  
AND FACILITY MANAGEMENT STANDARDS  
(FMSFIE) FOR FACILITIES,  
INFRASTRUCTURE, AND ENVIRONMENT  
USING ENVIRONMENTAL SYSTEMS  
RESEARCH INSTITUTE, INC. ARCVIEW GIS  
VERSION 3.2a**

By *Eric Sheehan*

*Michael Baker Jr., Inc.  
420 Rouser Road  
Airport Office Park  
Coraopolis, PA 15108*

**Published by: The CADD/GIS Technology Center for Facilities, Infrastructure, and  
Environment  
Army Engineer Research and Development Center (at Vicksburg)  
3909 Halls Ferry Road  
Vicksburg, MS 39180-6199**

# Contents

---

About Relational Databases	1
ArcView GIS Characteristics and Capabilities	22
Implementing the SDSFIE/FMSFIE Using ESRI ArcView GIS Version 3.2a	23
Bibliography	28

# FOREWORD

---

The CADD/GIS Technology Center for Facilities, Infrastructure, & Environment (i.e., the Center) is responsible for the design, development and maintenance of the Spatial Data Standards for Facilities, Infrastructure, and Environment (SDSFIE), and the Facility Management Standards for Facilities, Infrastructure, and Environment (FMSFIE). These Standards are being developed so GIS and CADD users within the CADD/GIS community can easily transfer and communicate data and information. The FMSFIE is being designed to integrate with the SDSFIE and the A/E/C CADD Standards and will consider business processes and more detailed analysis and reporting data requirements. The SDSFIE was called the Tri-Service Spatial Data Standards (TSSDS) prior to July 1999). The FMSFIE was called the Tri-Service Facility Management Standards (TSFMS) prior to July 1999). The acronyms SDS and FMS were used from July 1999 until January 2001. The SDSFIE/FMSFIE Release 2.00 was completed in January 2001.

# About Relational Databases

---

Database Management Systems (DBMS) are used to organize and tabular information for retrieval and manipulation by multiple users and application programs. Data is normally organized into tables and attributes. Relational Database Management Systems (RDBMS) allow for the creation of links or relationships between tables. The RDBMS simplifies the structure with rows or columns of information, and is the baseline for the SDSFIE/FMSFIE

Structured Query Language (SQL) is the American National Standards Institute (ANSI) standard relational database communication language. The SDSFIE/FMSFIE SQL Generator provided with the CD release of version 2.0 of the SDSFIE/FMSFIE produces SQL statements that can be used to populate blank tables for various types of RDBMS listed below.

- Standard ANSI
- Microsoft SQL
- Informix
- Oracle

Version 2.0 of the SDSFIE/FMSFIE introduced a separate tool for creating and maintaining Microsoft Access databases. This SDSFIE/FMSFIE Access Builder not only performs many of the functions of the SQL Generator specifically for Microsoft Access, but also permits analysis and modification of the Access Schema, including definitions, domains and values, and expanded relationships. The new tool is also useful in upgrading from one SDSFIE/FMSFIE Release to the next.

## About Access

Microsoft Access is an interactive database management system designed for the Microsoft Windows operating system. Access has the ability to integrate data from spreadsheets and other database formats. The user can directly import, export, and create relationships to: Microsoft Excel version 3.0 or later, Microsoft Fox Pro version 2.x or later, Microsoft SQL Server, Borland dBASE III Plus, Borland dBASE IV, Borland dBASE version 5.0, Borland Paradox version 3.0 to 5.0, Microsoft Visual FoxPro version 3.0, Lotus 1-2-3, ASCII text and all ODBC-compliant databases. Access provides the ability to convert data or reports into HTML so the user can create interactive databases and share them across an Intranet or the World Wide Web.

Microsoft Access takes advantage of the graphical user interface power and ease of use in Windows, giving the user visual access to data and simple, direct ways to view and work with information.

Access provides querying and connective capabilities that allow the user to find desired information regardless of format or location. With the use of SQL queries, the user can work with data stored in different database formats and network locations. The user can easily edit SQL statements at any time and view different layouts of data.

Design tools included with Access allow the user to produce forms and reports to meet exact specifications. One can plot data, combine different forms and reports in one document, and present reports with publication-quality style.

Microsoft Access provides integration with Microsoft Visual Basic. Integrated Development Environment (IDE) features drag-and-drop code, color-coded syntax, a debug window, and in-place object browsing. Visual Basic for Applications – the programming language shared across all Microsoft Office applications – provides programming, interface, and debugging tools.

## Obtaining Standard Symbolology

Resources for creating standardized map symbols, fonts, line styles, and color shade sets for ESRI GIS packages are available from the CADD/GIS Technology Center's home page at <http://tsc.wes.army.mil>. The files to download are shadeset.zip, fonts.zip, lineset.zip and markerset.zip. The map symbology resource files are not required to make the spatial data files compliant with the SDSFIE/FMSFIE, but are recommended. The method for implementing the linesets and shadesets will be covered in the step-by-step tutorial presented in this document.

## Implementation Preparation

The first step in the implementation process is to perform an inventory of spatial data files you wish to implement within SDSFIE/FMSFIE compliance. If this is to be a new dataset, create a list of the Features (the Graphic Map Elements) to be included in the database or dataset. A simple listing in a text file or spreadsheet serves well as a method to organize the data inventory.

Next you will select the features in the SDSFIE/FMSFIE that correspond to features in your existing data set or feature list. The SDSFIE/FMSFIE Browser tool will help you with the feature selection process. This tool allows the user to browse compliant features by structure, feature name, key word, or data source. The following steps demonstrate how to use the SDSFIE/FMSFIE Release 2.00 Browser application to find a few different features that would be included in a utilities spatial data set.

## SDSFIE/FMSFIE Toolbox

The SDSFIE/FMSFIE CD includes both the data and software that make up the SDSFIE/FMSFIE. The software includes applications for finding, viewing, and printing information about the SDSFIE features/tables and the FMSFIE tables. In addition, the CD includes software permitting users to custom tailor their own set of features (Filter Maker and Filter Eraser), facilitating the construction of a database schema in an SQL Database (SQL Generator), building and maintaining Microsoft Access databases (Access Builder), and simple data entry tools (Data Creator).

The toolbox software is specifically designed around the organization and structure of the SDSFIE/FMSFIE data and is provided free of charge by the CADD/GIS Technology Center in Vicksburg, MS. Question and/or problems regarding the toolbox should be addressed to the Center.

## SDSFIE/FMSFIE Browser (Finding Features)

### To open and configure the browser

1. From the Windows Start Menu choose SDS FMS Browser



Figure 1 - The Browser Master Menu

2. From the <Configure> menu choose <Connect>.
3. In the Connection Screen (Figure 2), Verify and/or change the location of the data connection files and choose <Connect, Test and Save>.




Figure 2 - The Connection Screen

NOTE: These connections are automatically repeated each time the Browser is started.

4. From the <Configure> menu choose <Options>.




Figure 3 - Setting Options

5. From the **GIS Software** tab (Figure 3) choose **ArcView/ArcInfo**, then choose <Apply> and/or <Ok>.
6. Other configuration options, use the **Special Features** tab, and then choose <Ok>.

## Browsing Techniques

**Browse by Structure** – Navigate through the SDSFIE/FMSFIE using its structure.

Next you will take a look at all the Entity Classes in the Utilities entity set.

1. From the <**Browse**> menu choose <**By Structure**>.
2. Choose <**Entity Sets**> to display the Entity Set Window (Figure 4), then double-click on **utilities** from the Entity Set window to display the Entity Class Window (Note: Double-clicking on any white background field will jump to that element).




Figure 4 - Entity Set Window

3. In the Entity Class Window (Figure 5), double-click on **utilities\_ext\_light** to view the full definition and the associated Entity Types (Features)




Figure 5 - Entity Class Window



4. In the Entity Type Window (Figure 6), find the desired Entity Type in the Entity Type List.




Figure 6 - Entity Type Window

The Window displays information about the Entity Type.

**Browse By Feature Name** – Find the Feature using its Name. Note that each Feature has only a single name.

Next you will find the entity definition for an **exterior light**

1. From the **<Browse>** menu choose **<By Feature>**.
2. On the Feature List (Figure 7) find the Light, Exterior by either scrolling down the list of Features or filtering the list using the “L” button for Light, and then finding “Exterior”.
3. Double Click on Light, Exterior to display the Feature Screen (Figure 8), which contains details about the Feature including organization, Table Name, Definition, and Symbology Codes.




Figure 7 - Browser by Feature

Features

CADD GIS

TECHNOLOGY CENTER

*for Facilities, Infrastructure, and Environment*

Feature Name

Light, Exterior Pole Mounted

Alias

EXTERIOR LIGHT

Modifier

POLE MOUNTED

Definition

Files/Tables

Symbology

Entity Set Name

utilities

Standards

SDS

Entity Class Name

utilities\_electrical\_ext\_light

Graphic Element Object Type

Point

Entity Type Name

exterior\_lighting\_point

No Change in Release 2.000

Locations of point sources of general external lighting.

Entity Type Attribute Discriminator

Discriminator

lit\_typ\_d

in

d\_extlit

of Value

POLE\_MOUNT

Add to Custom Filter

Close


Help

Print Selected Feature


Figure 8 - Feature Screen

**Browse By Feature Alias** – Find the Feature using an Alias. Note that each Feature may have many aliases.

1. From the <Browse> menu choose <By Alias>.
2. On the Alias List (Figure 9) find the “LIGHT”. Since “LIGHT” is an alias for more than one Feature, a list of potential features will be displayed. See Figure 10).



**Figure 9 - Browser by Feature**




**Figure 10 - Features from Alias**

3. Double clicking on the desire feature will jump to the same Feature Screen (Figure 8).

### **Browse by Keyword**

1. From the <Browse> menu choose <By Keyword>.
2. Enter “light” into the “Search For” field of the Keyword Search Window (Figure 11).
3. Double-click on the Entity Type Name – EXTERIOR LIGHT POINT in the keyword search results list to display the Entity Type Screen for the Feature.



**Figure 11 - Keyword and Results**

Continue using the Browser to gather pertinent information for your project spreadsheet or Feature List.

## Using the Filter Maker

The Filter Maker permits the development, definition, modification, implementation, and saving of a Filter, or subset of the entire SDSFIE Library. A filter is used to limit the size of the data schema used as a part an SDSFIE/FMSFIE data implementation. Filters limit display and use of all aspects of the SDSFIE to include Entity Sets, Classes, and Types, as well as Tables, Attributes, and Domains. A custom filter is a user-defined filter. Although the creation of a custom filter is optional, it will greatly increase the efficiency of the SDSFIE/FMSFIE database generation process and is useful for nearly all of the tools in the SDSFIE/FMSFIE toolbox.

For the purpose of this guide, a filter named “LIGHTS” will be developed. The steps outlined in the following section guide the user through the tasks necessary to create the filter.

Note: SDSFIE/FMSFIE data does not support filter operations with pre-TSSDS/TSFMS 1.80 releases.

### To open the Filter Maker and create a filter

1. From the Windows Start Menu choose Filter Maker.
2. On the first panel of the Wizard, choose **<Connect>** to connect to the SDSFIE/FMSFIE Library.




Figure 12 - Filter Maker

3. On the Connection Screen (Figure 13) Verify and/or change the location of the data connection files and choose **<Connect, Test and Save>**. Click **<Next>**.




Figure 13 - The Connection Screen


4. Choose the “Create a New Filter”, and then choose **<Next>**.

5. For the name of your filter enter “Exterior Light”, and then choose <Next>.




**Figure 14 - Naming a Filter**

6. Continue through the Wizard until the Feature List is reached (See Figure 15).




**Figure 15 - List of Potential Features**

7. Choose <Select Features Dialog>. This button displays a Dialog which permits users to select Features based on the Structure of the SDSFIE/FMSFIE; e.g. by Entity Set, or Entity Class, or Entity Type, or based on a previous constructed filter or one of the “canned” filters in the SDSFIE/FMSFIE. (See Figure 16)




**Figure 16 - Selecting Features**

8. Choose “Features in selected Entity Class”, select “utilities\_exterior\_lighting”, click <Add Class>, and click <Insert in Filter>.
9. From the Wizard, click <Next>.
10. At the Summary Screen (Figure 17), verify the Features, the Filter Name, and edit the Filter Definition as desired, click <Next>.



**Figure 17 - Summary Screen**

11. When correct, click <Create>.
12. When the Filter has been entered into the SDSFIE/FMSFIE Library, the Filter Maker will display




**Figure 18 - Completion Screen**

After 30 Seconds, the Dialog will automatically close and the Filter Maker will terminate.

## Erasing a Filter

The Filter Eraser is used to restore the SDSFIE/FMSFIE Library to its original configuration. It operates very similar to the Filter Maker (Wizard). The following steps are to be used in erasing a user created custom filter (\*Note: the SDSFIE/FMSFIE Filter Eraser is a separate program like the Filter Maker)

1. From the Windows Start Menu choose Filter Eraser.
2. Choose “**Connect to SDSFIE/FMSFIE Library**”.
3. Establish the connection in the same manner as the Filter Maker. Click <Next>.
4. Choose the filter(s) you would like to erase, and then choose <Next>.



**Figure 19 - Filter Eraser Filter List**



5. At the Verification Screen, choose <Erase>.

## Using the Access Database Builder

New to release 2.00 of the SDSFIE/FMSFIE is the Access Database Builder. This tool automatically builds the structures (tables, attributes, and domains) of Access in accordance with the Spatial Data Standards. It replaces and expands on the functionality of the SDSFIE/FMSFIE Generator Tool first introduced in Release 1.600 of the TSSDS. This tutorial will use the builder to create a database structure used to store field-captured data pertaining to the exterior lighting system.

### To open and build a database

1. From the Windows Start Menu choose Access Builder.
2. From the <Open> menu choose <Create Access Database>.
3. For the database name enter "Exterior Light", and then choose <OK>.
4. Choose "Tables in Selected Filter" and double-click "Exterior Light" to add all the features to the Candidates List.
5. Choose <Add to Candidate List>.





Figure 20 - Selecting the Filter

6. From the <Action> menu choose <Add Candidates to Access> to display the Addition Option Dialog (Figure 21).



**Figure 21 - Addition Options**

Note: See the Application Help File for information on the available addition options.


7. Choose <**Build/Generate**> to convert the candidates to Access Tables.

## Populating the SDSFIE/FMSFIE database


The next step in the implementation process is populating the database. You will notice that when “Exterior Lights.mdb” was created, it was an empty database. To use the database you must populate it with the appropriate data. Any technique may be employed to populate the Access database, including “Import”, Forms, the Table, or another application. The Access Interface offers a number of options for adding, modifying, and editing data.

The next is to import records to the database from a text file that describes the features in the spatial data set. The Access Builder has completed the process to create all necessary tables and relationships among them. Prior to use of the database with ArcView you must populate it with attribute data. An ASCII text file (lights.txt) has been provided as a supporting document of this report. The following steps will populate the SDS/FMS – Access database.

1. Start Microsoft Access. Open the database *Exterior Light.mdb* by selecting *Open Database*, from the *File* menu. Make the *Tables Objects* group active.



2. Select **Get External Data/Import** from **File** menu.
  - a. Within the **Import** dialog, select **Files of Type Text Files (\*.txt;\*.csv;\*.tab;\*.asc)**
  - b. Browse to the file **lights.txt**,
  - c. Click **Import**



3. From the **Import Text Wizard** window, select these options to import the data.
  - a. Select **Delimited-Characters such as comma or tab separate each field**  
Click **Next**
  - b. Select **Comma** as the delimiter that separates your fields. Check **First Row Contains Field Names, Text Qualifier {none}** Click **Next**.
  - c. Select the button to specify that the data are stored **In an Existing Table**, choose **utexllit**.  
Click **Finish**. Click **OK** to the dialog confirming the data were imported successfully.
4. Double click the icon for the table **utexllit**, from the Table objects group to open and view the data.

datalink	ext_lit_id	map_id	meta_id
251	WP001		
252	WP012		
253	WP013		
254	WP014		
255	WP015		
256	WP016		
257	WP017		

Record: 14 of 16

5. No other actions within Microsoft Access are required to link to ArcView GIS 3.x. To close the Microsoft Access application, select *Exit* from the *File* menu.

Note: The Release 2.000 Access Builder constructs Access databases that are compatible with Access 97. If Access 2000 is required, it is necessary to use Access 2000 to perform the transformation.

The SDSFIE/FMSFIE ToolBox also contains a Data Creator application for Microsoft Access.

## Using the Access Data Creator

### To open the database and select a table

1. From the Windows Start Menu choose Access Data Creator.
2. From the <Database> menu choose <Open>, and then select the Access database.
3. A List of available tables will be displayed (See Figure 22).
4. Select a table and the Fields associated with that table will be displayed.

### To add a record

1. From the <Record> menu choose <New>.
2. Enter data as appropriate. Choose <Save Record> when finished.
3. Repeat the process for all the data as required.
4. From the <Database> menu choose <Exit> to close the program.




Figure 22 - Table Selection


## Issues with Oracle

There are a few additional steps required to use Oracle as your data source.



## Using the SQL Generator

### To configure the SQL Generator

1. From the Windows Start Menu choose SQL Generator.
2. From the <Configure> menu choose <Connect>.



3. Verify and/or change the location of the data connection files and choose <Connect, Test and Save>.
4. From the <Configure> menu choose <Configuration>.
5. Under GIS Application Configuration choose ArcView/ArcInfo.
6. Under Database Configuration choose Oracle SQL.




7. Click <Ok>

### To generate tables and attributes

1. From the Generate menu choose New, then Table and Attributes.




2. For the Generation Mode choose Custom Filter Schema, then double-click "Exterior Lights" custom filter.



3. For Generate to choose C:\...\TSSDS\Generate\SQLCode.SQL to save your code to a file.
4. Choose <**Generate**> then <**Close**>.
5. From the Windows Start Menu choose Windows Explorer. Navigate to the directory containing SQLCode.SQL and rename the file to Lights Table.SQL.

#### To generate domains and values


1. From the <**Generate**> menu choose <**New**>, then <**Domains and Values**>.
2. For the Generation Mode choose <**Prior Generation**>.



3. For Generate to choose C:\...\TSSDS\Generate\SQLCode.SQL to save your code to a file.
4. Choose <**Locate Generation SQL**>, choose the file "Lights Tables.SQL" from the previous step, then choose <**OK**>.
5. Choose <**Generate**>, then <**Close**>.
6. In Windows Explorer rename SQLCode.SQL to "Lights Values.SQL".

### To generate join/table relationships

1. From the <Generate> menu choose <New>, then <Relationships/Joins>.
2. For the Generation Mode choose <Prior Generation>.



3. For Generate to choose C:\...\TSSDS\Generate\SQLCode.SQL to save your code to a file.
4. Choose <Locate Generation SQL>, choose the file "Lights Tables.SQL", and then choose <OK>.
5. Choose <Generate>, then <Close>.
6. In Windows Explorer rename SQLCode.SQL to "Lights\_Join.SQL".

## Compiling SQL Code in Oracle

### To create a user

Have your Oracle DBA assign you a username and password. For this guide we will use the username USER with the password PASSWORD.

### Using SQL+ Worksheet

Have your Oracle DBA use SQL+ Worksheet to load and compile the 3 SQL files created from the SQL Generator.

### To populate the database

Have your Oracle DBA import the 2 text files into your newly created data structure.




## Configuring an Oracle Database in ArcView


You will configure an external Oracle database for use with ArcView 3.2 supports the Oracle Provider driver. This driver is loaded during the initial installation of ArcView. Unlike Access, the process for using Oracle as your data source is not as automatic. You will have to manually create a DSN and UDL file.

### To set up an ODBC


1. From the Windows Start Menu choose Settings, then Control Panel.
2. In the Administrative Tools folder double-click on Data Sources (ODBC).
3. Under the System DSN tab choose Add.



4. Choose Microsoft ODBC for Oracle from the driver list, and then choose <Finish>.
5. Enter a Data Source Name and the Server Name (get this from your Oracle DBA). For this tutorial we will use acadmap for the DSN and acadmap for the Server.



6. Choose <OK> then <OK>



# ArcView GIS Characteristics and Capabilities

---

## ArcView 3.2a

ArcView geographic information system (GIS) software from Environmental Systems Research Institute (ESRI) is a complete system for accessing, displaying, querying, analyzing and publishing geographic data.

ArcView is capable of linking to Microsoft Access, dBASE, FoxBASE, ASCII, INFO or any SQL or ODBC (Open DataBase Connectivity) database to graphic features in a geospatial set. ArcView supports virtually an unlimited number of dynamic linkages to non-homogenous DBMS formats that may reside on a local disk or on a heterogeneous network at another location. Many layers can then be classified and symbols assigned based on data attribute values. ArcView also provides extensive tabular data analysis tools to sort, query, and create statistical summaries, add new fields, calculate new information based on existing attribute fields, or interactively edit the contents of any field.

ArcView supports vector and raster formats including the ArcInfo and PC ArcInfo vector feature types (e.g., points, lines, and polygons) and ArcInfo's advanced feature types (e.g., routes and regions, raster images and surface grids). Geographic data sets, such as satellite images and aerial photographs, can be geo-referenced and displayed underneath vector themes for visual reference or as a background source for data entry. ArcView supports ERDAS, BSQ, BIL, Sun raster files and run-length compressed raster files as well as both opaque and transparent image display.

For information on the most current version of ArcView and its capabilities please visit ESRI's website at <http://www.esri.com/software/arcview/index.html>

# Implementing the SDSFIE/FMSFIE Using ESRI ArcView GIS Version 3.2a

---

## Software Requirements

### Primary GIS Software Package

ArcView Version 3.x

### Primary Relational Database Software Package

Microsoft Access 97/2000

### Operating System

Microsoft Windows NT version 4.0, Windows 2000/98/95

### Database Drivers for Operating System Drivers

Microsoft Open Database Connectivity (ODBC) Desktop Database Drivers version 3.51 installed. These are necessary to allow ArcView to read information directly from a Microsoft Access database (\*.mdb)

## Sample Data Sets

The data used for the SDSFIE/FMSFIE Implementation Report was developed by the CADD/GIS Technology Center for Facilities, Infrastructure and Environment in Vicksburg, MS. These datasets include an ASCII text file, lights.txt and three shape files. These file names are lightspro.shp, (exterior light features, graphics only -see implementation scenario 3 below) bggen.shp (buildings general-buildings structure) and trveh.shp (transportation vehicle road segments).

## SDSFIE/FMSFIE Implementation Scenarios

Various applications of GIS require specific implementation strategies depending on the type data available, graphic, tabular, hardcopy or GIS ready to use digital spatial data sets. Issues that require consideration prior to integration with GIS are: (1) knowledge of the data origin and/or development cycle; (2) graphic data may need to be digitized, and attributed manually to assign descriptive values; (3) graphic data that are digital without descriptive attributes; or (4) spatial organization or GIS ready data sets such as those available from the World Wide Web. To implement any of the above scenarios, a user must have a clear understanding of ArcView and the SDSFIE/FMSFIE.

## ArcView Project Setup with the SDSFIE/FMSFIE


The applicable implementation task covered by this guide is for GIS ready data sets that are to be process for SDSFIE/FMSFIE compliance. The graphic data files are provided as ArcView shapefiles (\*.shp), and additional attribute information is provided as a standalone ASCII text file.

The user should be advised that if it is necessary edit a non-ESRI graphic data file in ArcView, for example making an update to the geometry or attributes, the data file must converted to an ArcView shapefile. A note for MicroStation or AutoCAD users, when a file is brought into an ArcView environment, all features portrayed in the file are interpreted as lines, points, polygons, and/or annotation. All graphic attributes associated with these features i.e. layer, level, color, line type, line width, and style are presented in an attribute table (either line, point, polygon, or annotation attribute) for the CADD file map data set. It is advised that all editing of non-ESRI spatial data file take place in the “native” software environment i.e., MicroStation or AutoCAD.

A similar situation exists with database file. ArcView can utilize and analyze values from an existing RDBMS, however, the user cannot populate database tables directly using ArcView’s graphical user interface. If it becomes necessary to edit the database file it is recommended this operation take place in the “native” environment, i.e., Oracle or Access.

## Preparation of Attribute Data for Inclusion in an SDSFIE/FMSFIE Database

The work flow diagram below outlines the steps that are used to establish an ArcView working environment with the SDSFIE/FMSFIE.




Relationship between ArcView Project setup and SDSFIE/FMSFIE implementation.


## ArcView Implementation

With database created, populated and the ODBC drivers configured, you are able to create an SDSFIE/FMSFIE compliant spatial data file directly from the database. Two ArcView shape files, *trevh.shp*, and *bggen.shp*, representing base map features, are included with this report.


1. Press **Start/Programs/ESRI/ArcView 3.2/ArcView 3.2** from the Windows Desktop.
2. In the ArcView Project window, select the **Views** icon, click **New** to create a new **View**.
3. **Save** the project file **tutorial.apr** for later reference.
4. Make the View window active and select the **Add Theme** from the **View** menu.
5. Browse to the location of the base map shape files, **trevh.shp**, and **bggen.shp**. Hold down the shift key and click once on each file name in the **Add Theme** dialog. Click **OK** to add both the themes to the View window. To display the features, click inside the box and placing a check beside the name of each file in the View.
6. Select **tutorial.apr** from the **Window** menu to activate the **Project** window.
7. Select **SQL Connect** from the **Project** menu to bring up the SQL Connection dialog. From the **Connection** drop down list, select **MS Access Database**. Click the **Connect** button, and browse to select the **Exterior Lights.mdb** SDSFIE/FMSFIE database. Click **OK**.
8. Double click **utexllit** from the list of **Tables** in the **SQL Connect** dialog. Double click <All Columns> from the list of Columns. In the Output Table text entry box, type **utexllit**. Click the **Query** button. The table will be added to the ArcView project. Close the **SQL Connect** dialog by clicking on the close window **X** button the in the upper right hand corner of the window.



9. Return to the **View** window containing base features data sets. Select **Add Event Theme...** from the **View** menu. Activate the **X-Y** button in the top left corner of the **Add Event Theme** dialog. Select **utexllit** from the **Table** selection drop down list. Select **coord\_x** from the **X field** drop down list. Select **coord\_y** from the **Y field** drop down list. Click **OK**.



10. From the **View**, make **Utexllit** the active theme. Select **Zoom to Selected** from the **View** menu. This will zoom the window to the spatial extent of the streetlights theme. Make the point features visible by clicking the theme check box.
11. Select the **Identify** tool from the ArcView tool bar. Click on any of the point features of the **Utexllit** theme. This action will bring up the **Identify Result** dialog to confirm the point location and associated attributes from the **Exterior Lights.mdb** database.




## Alternative Implementation Scenario

1. Return to the **View** window containing base features data sets. Add the theme **lightpro.shp** to the current view. This data set included the graphic light features without all of the attributes from the SDSFMS/SDSFIE database table.
2. Make the **Project** window active and highlight the **Tables** icon. Double click on the **utexllit** table to open it. Click on the field named **Datalink** to make it active.
3. Return to the **View** window containing base features data sets. Click on the **lightpro.shp** theme to make it active. Select **Table** from the **Theme** menu to open the **Attributes of Lightpro.shp** table. Click on the **MSLink** field to make it active.
4. Select **Join** from the **Table** menu. The **utexllit** table will automatically close, and its fields will be appended to the **Attributes of Lightpro.shp** table. SDSFIE/FMSFIE attributes can now be viewed by using the **Identify** tool.

## Naming Conventions

The final step in the SDSFIE/FMSFIE implementation for ArcView GIS 3.2a is using the proper naming conventions for data set for the View document and the ArcView project file (\*.apr).

1. Activate the **View** containing the base data and street light themes. Select **Properties** from the **View** menu. In the **Name** entry box, type **exterior\_lighting\_point**. Select **Feet** from the **Map Units** drop down list. Select **Feet** from the **Distance Units** drop down list.
2. The final step is to save the project file under a new name. Select **Save Project As...** from the **File** menu. **Save** the file as **utilities\_electrical\_ext\_light.apr** under a directory on your computer named **Utilities**.



3. The exercise is complete, at this time you can end your session by selecting **Exit** from the **File** menu.



# Bibliography

---

1. Groff, James R. and Weinberg, Paul N.; "Using SQL"; pp. 49-70; Osborne McGraw-Hill, 1990.
2. ESRI ArcView Version 3.2 Online Help.
3. ESRI ArcView Version 3.2 Online Help.
4. ESRI ArcView Version 3.2 Online Help.